



WedgeRing® T&C (Threaded & Collared)



Wedge Ring FJ (Flush Joint)



WedgeRing®* Features:


Quality- combined performance of premium-jointed tubing with the advanced protection of Glass Reinforced Epoxy (GRE)


Flexibility- increased availability and wider variety of serviceable premium connections Economy- lowest cost alternative to competitive adapters, no additional costs incurred to modify off-the-shelf premium connection

Simplicity- easily installed, maintained and repaired at well site




WedgeRing* IJ (Integral Joint)





WedgeRing® IJTS (Two-Step)





Durability- resistant to sour corrosive environments and capable of withstanding high temperature well conditions

Delivery- Compatibility with common connections eliminate extra shop time for special order threading requirement



Patent: US 2012/0248766 A1



This connection is not over-engineered and requires very little maintenance or meticulous and time-consuming measurement upon installation, is easily repaired or replaced and is highly affordable. The wedge-shaped glass-filled PTFE ring compresses between two sturdy molded flanges across the connection to insure against corrosion of exposed box or collar steel surfaces.



Please contact us at:

MIDLAND, TX P.O. Box 50423 Midland, TX 79710 432.617.0242 866.617.0242 Toll Free

GlassBore® GlassLine®



Please contact us at:

MIDLAND, TX 4305 East Hwy 80 Midland, Texas 432.689.8311

www.glassbore.com